

NETAŞ SUNUCU NCS6722 N4 DONANIM UYUMLULUK LISTESİ

Ürün	Ürün Kodu
NCS6722 N4 Şasi Tipi	
NCS6722 N4 rack server enhanced 12LFF PT EB11 with 12 front LFF no support NVMe. 1 Area supports 2*NVMe disks and 4 Area support 2*SATA/SAS disks.adapted to a 16 port RAID card LSI93XX/94XX or RS24X.	B9928081
NCS6722 N4 rack server enhanced 12LFF 12 front SAS/SATA LFF no support NVMe. 1 Area supports 2*NVMe disks and 4*Area support 2*SATA/SAS disks. This is applicable to RAID card LSI95XX.	B9928082
5300G5 rack serverEnhanced host12LFF Passthrough EB14:12front SAS/SATA LFFs,not supporting NVMe hard disks.1area and 4area support 2HHHL(x8+x16).Applicable to16 ports RAID cards LSI93XX/94XXorRS24X.	B9928083
NCS6722 N4 Rack Server Enhanced HOST12LFF Passthrough EB2 (12 front SAS/SATA LFF,The rear area1supports2NVMe SSD,the rear area4supports2NVMe SSD.Applicable to standard RAID cards LSI93XX/94XXorRS24X)	B9928084
NCS6722 N4 enhanced host _12LFF PT type EB4 no support NVMe hard disk. 4 areas support 2 SAS/SATA SFFs, which must be adapted to standard RAID cards LSI93XX/94XX or RS24X.	B9928085
NCS6722 N4 enhanced host _12LFF straight-through type EB5 with 12front SAS/SATA SFFs,8slots support NVMe hard disk.Four areas support 2 SAS/SATA SFFs,adapted to standard RAID cards LSI93XX/94XX or RS24X.	B9927775
NCS6722 N4 Enhanced host_12LFF straight-through type EB6:12front SAS/SATA SFFs,of which 12slots support NVMe hard disks.4areas support 2SAS/SATA SFFs,adapted to standard RAID cards LSI93XX/94XX or RS24X	B9928086
The enhanced host _12LFF straight-through EB62 5300 G5 rack server does not support SAS/NVMe hard disks. The SATA disk is directly connected through the PCH.)	B9928087
NCS6722 N4 rack server enhanced host _12LFF straight-through type EB63 does not support SASs, and eight slots support NVMe hard disks. The SATA disk is directly connected through the PCH.)	B9928088
NCS6722 N4 rack server enhanced host _12LFF PT EB67 12 front SATA LFF, not supported SAS/NVMe Area 4 supports two SATA disks, area 1 supports two NVMe disks, and SATA disks are led out through the PCH.)	B9928089
NCS6722 N4 rack server enhanced host _12LFF PT EB68 12 front SATA LFF, not supported SAS/NVMe Area One and four Area support four NVMes, and 12 SATA disks are straight out through the PCH.)	B9928090
NCS6722 N4 rack server enhanced host _12LFF PT EB69 12 front NVMe LFF, not supported SAS/SATA Area four support 2 SATA, and SATA disks are straight out through the PCH.)	B9928091

NCS6722 N4RackServerEnhancedHOST12LFF PassthroughEB712frontSAS/SATA LFFrear area1supports2HHHL PCleslots,rear area4supports2SAS/SATA SFF.Applicabletostandard RAIDcardsLSI93XX/94XXorRS24X	B9928092
NCS6722 N4 Rack Server Enhanced 12LFF PT EB8 with eight front SAS/SATA LFF and four front NVMe LFF. Applicable to standard eight-port RAID card LSI95XX	B9928093
NCS6722 N4 Enhanced host _12LFF PT EB9: 12 boards SATA LFF, 4 of which support NVMe, and SATA disks are straight out through PCHs. The rear area 4 supports two SATA SFFs.	B9928094
NCS6722 N4 Rack Server Enhanced 16SFF PT ED1 with sixteen front NVMe SFF does not support SAS/SATA. The rear four areas support two SATA SFF straight-through PCHs.	B9928095
NCS6722 N4 enhanced host _25SFF EXPANDER EC1, and does not support NVMe hard disks. 4 areas support 2 SAS/SATA SFFs, adapted to standard RAID cards LSI93XX/94XX or RS24X.	B9928096
NCS6722 N4 enhanced host _25SFF EXPANDER EC2, with 25 front SAS/SATA SFFs and 8 slots supporting NVMe hard disks.4 areas support 2 SAS/SATA SFFs, adapted to standard RAID cards LSI93XX/94XX or RS24X.	B9927763
NCS6722 N4 enhanced host _25SFF EXPANDER EC3 no support NVMe hard disk. Area 4 supports 2 SAS/SATA SFFs, and area 1 supports two NVMe SSD. Applicable to standard RAID cards LSI93XX/94XX or RS24X.	B9928097
NCS6722 N4 rack server Enhanced host _8SFF straight-through type EA1: Eight front SAS/SATA SFFs, not supporting NVMe hard disks Applicable to standard RAID cards LSI93XX/94XX or RS24X.	B9927754
NCS6722 N4 rack server Enhanced host _8SFF straight-through type EA2, supporting eight front SAS/SATA SFFs and eight NVMe hard disks. Applicable to standard RAID cards LSI93XX/94XX or RS24X.	B9928098
NCS6722 N4 rack server Enhanced host _8SFF straight-through type EA3: Eight front SAS/SATA SFFs, not supporting NVMe hard disks Applicable to standard RAID cards LSI95XX	B9928099
5300G5 rack server Enhanced host_8SFF Passthrough EA4:8 front SAS/SATA SFFs,not supporting NVMe hard disks.1area and 4area support 2*HHHL(x8+x16).Applicable to RAID cards LSI93XX/94XXorRS24X.	B9928079
The enhanced host _8SFF straight-through EA51 5300 G5 rack server does not support SAS/NVMe hard disks. The SATA disk is directly connected through the PCH.)	B9928100
Enhanced host _8SFF straight-through EA52 of 5300 G5 rack server _8SFF eight front SATA SFF, not supporting SASs but eight NVMe hard disks The SATA disk is directly connected through the PCH.)	B9928101
53G5 rack server enhanced host_8SFF PT EA60:8 front SATA SFFs,does not support SAS/NVMe hard disks.The rear area 1 and area 4 supports 2 HHHLs. The SATA disk is directly connected through the PCH)	B9928102

NCS6722 N4 Şasi Aksesuarları	
1200W Great Wall AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9927591
1300W-48V Gospower DC power-supply module(3-meter power cable, copper lug size M6)	B9927427
1300WHonor AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9928058
1600W Great Wall AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9927536
2000W Honor AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9928103
2000W Great Wall AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9927945
800W-48V DC power-supply module(GOSPOWER, 3-meter power cable, copper lug size M6)	B9928248
800W Great Wall AC power-supply module(Power cables are not included.power cable should be configured separately.)	B9928249
Guide rail (engineering survey, delivery separately)	B9927172
AC power cable (site survey)(Separate delivery)	B9927389
NCS6722 N4/NCS6742 N4 G5 Zone 2 PCIe Riser A	B9927755
NCS6722 N4/NCS6742 N4 G5 Zone 2 PCIe Riser B	B9928104
NCS6722 N4/NCS6742 N4 G5 Zone 3 PCIe Riser A	B9927756

NCS6722 N4/NCS6742 N4 G5 Zone 3 PCIe Riser B	B9928105
Server cable tray and guide rail(Site survey)	B9927942
NCS6722 N4 CPU	
CPU-Intel-Xeon Gold-5415+ -8core-2.9GHz-150W-HeatSink	B9928106
CPU-Intel-Xeon Gold-5416S-16core-2.0GHz-150W-HeatSink	B9928107
CPU-Intel-Xeon Gold-5418N-24core-1.8GHz-165W-HeatSink	B9927762
CPU-Intel-Xeon Gold-5418Y-24core-2.0GHz-185W-HeatSink	B9928108
CPU-Intel-Xeon Gold-5420+ -28core-2.0GHz-205W-HeatSink	B9928109
CPU-Intel-Xeon Gold-6416H-18Core-2.2GHz-165W-HeatSink	B9928110
CPU-Intel-Xeon Gold-6418H-24Core-2.1GHz-185W-HeatSink	B9928111
CPU-Intel-Xeon Gold-6426Y-16core-2.5GHz-185W-HeatSink	B9928112
CPU-Intel-Xeon Gold-6428N-32core-1.8GHz-185W-HeatSink	B9928113
CPU-Intel-Xeon Gold-6430-32core-2.1GHz-270W-HeatSink	B9927943
CPU-Intel-Xeon Gold-6434-8core-3.7GHz-195W-HeatSink	B9928114

CPU-Intel-Xeon Gold-6434H-8Core-3.7GHz-195W-HeatSink	B9928115
CPU-Intel-Xeon Gold-6438M-32core-2.2GHz-205W-HeatSink	B9928116
CPU-Intel-Xeon Gold-6438N-32core-2.0GHz-205W-HeatSink	B9928117
CPU-Intel-Xeon Gold-6438Y+ -32core-2.0GHz-205W-HeatSink	B9928118
CPU-Intel-Xeon Gold-6442Y-24core-2.6GHz-225W-HeatSink	B9928119
CPU-Intel-Xeon Gold-6444Y-16core-3.6GHz-270W-HeatSink	B9928120
CPU-Intel-Xeon Gold-6448H-32core-2.4GHz-250W-HeatSink	B9928121
CPU-Intel-Xeon Gold-6448Y-32core-2.1GHz-225W-HeatSink	B9927780
CPU-Intel-Xeon Platinum-8444H-16Core-2.9GHz-270W-HeatSink	B9928122
CPU-Intel-Xeon Platinum-8450H-28Core-2.0GHz-250W-HeatSink	B9928123
CPU-Intel-Xeon Platinum-8452Y-36core-2.0GHz-300W-HeatSink	B9928124
CPU-Intel-Xeon Platinum-8454H-32Core-2.1GHz-270W-HeatSink	B9928125
CPU-Intel-Xeon Platinum-8458P-44core-2.7GHz-350W-HeatSink	B9928126
CPU-Intel-Xeon Platinum-8460H-40Core-2.2GHz-330W-HeatSink	B9928127

CPU-Intel-Xeon Platinum-8460Y+ -40core-2.0GHz-300W-HeatSink	B9928128
CPU-Intel-Xeon Platinum-8462Y+ -32core-2.8GHz-300W-HeatSink	B9928129
CPU-Intel-Xeon Platinum-8468-48core-2.1GHz-350W-HeatSink	B9928130
CPU-Intel-Xeon Platinum-8468H-48Core-2.1GHz-330W-HeatSink	B9928131
CPU-Intel-Xeon Platinum-8468V-48core-2.4GHz-330W-HeatSink	B9928132
CPU-Intel-Xeon Platinum-8470-52core-2.0GHz-350W-HeatSink	B9928133
CPU-Intel-Xeon Platinum-8470N-52core-1.7GHz-300W-HeatSink	B9928134
CPU-Intel-Xeon Platinum-8480+ -56core-2.0GHz-350W-HeatSink	B9928135
CPU-Intel-Xeon Platinum-8490H-60Core-1.9GHz-350W-HeatSink	B9928136
CPU-Intel-Xeon Silver-4410T-10core-2.7GHz-150W-HeatSink	B9928137
CPU-Intel-Xeon Silver-4410Y-12core-2.0GHz-150W-HeatSink	B9928138
CPU-Intel-Xeon Silver-4416+ -20core-2.0GHz-165W-HeatSink	B9927753
NCS6722 N4 Memory Modül	
16GB-DDR5-RDIMM-4800-1Rank-16Gb die	B9928080

32GB-DDR5-RDIMM-4800-2Rank-16Gb die	B9928139
64GB-DDR5-RDIMM-4800-2Rank-16Gb die	B9927944
128GB-DDR5-RDIMM-4800-4Rank-16Gb die	B9928247
NCS6722 N4 Adapter	
PCIE NIC-I350-Intel-2x1G-RJ45-PCle3.0x8	B9928140
PCIE NIC-I350-Intel-4x1G-RJ45-PCle3.0x8	B9927750
PCIE NIC-I350-V4.0-GRT-2x1G-RJ45-PCle3.0x8	B9927240
PCIE NIC-MCX512-ACAT-Mellanox CX5-2x25G SFP28-PCle3.0x8-no optical module	B9928141
PCIE NIC-MCX516A-CCAT-Mellanox CX5-2x100G QSFP28-PCle3.0x16-no optical module	B9928142
PCIE NIC-X710-Intel-2x10G-RJ45-PCle3.0x8	B9927424
PCIE SAS RAID Card-ZTE RS241_V2-16i-PM8236-2G Cache-RAID0,1,10,5,6,50,60-12Gb/s	B9927751
PCIE SAS RAID Card-ZTE RS242_V2-16i-PM8236- 4G Cache-RAID0,1,10,5,6,50,60-12Gb/s	B9927782
PCle FC HBA-QLE2690-1x16G SFP+ -PCle3.0x8-with optical module	B9928143
PCle FC HBA-QLE2692-2x16G SFP+ -PCle3.0x8-with optical module	B9927760

PCIe FC HBA-QLE2742-2x32G SFP+ -PCIe3.0x8-with optical module	B9927749
PCIe GPU-A10 24G-PCIe4.0x16-SW-FHFL	B9928144
PCIe NIC-ZTE NS212-Mellanox CX4-2x10G SFP+ -PCIe3.0x8-no optical module	B9927761
PCIe NIC-ZTE NS312-Mellanox CX4-2x25G SFP28-PCIe3.0x8-no optical module	B9927783
PCIe NIC-ZTE NS313-Mellanox CX6-2x25G SFP28-PCIe4.0x8-no optical module	B9928145
PCIe NIC-ZTE SFX2P_A-Intel 82599-2x10G SFP+ -PCIe2.0x8-no optical module	B9927029
RM241X\RS24X RAID card-Cache	B9927757
RS243 PM8238-16ports-0G(RAID0,1,10,5)(12Gb/s)	B9928146
Optical module-100G-multi mode-QSFP28-100M-MPO	B9927214
Optical module-10G-multi mode-SFP+ -300M-LC	B9927429
Optical module-25G-multi mode-SFP28-100M-LC	B9927387
OCP NIC-MCX562A-ACAB-Mellanox CX5-2x25G SFP28-PCIe3.0x16-no optical module	B9928250
OCP NIC-MCX623436AN-CDAB-Mellanox CX6-2x100G QSFP28-PCIe4.0x16-no optical module	B9928251
OCP NIC-MCX623436AN-CDAB-Mellanox CX6-2x100G QSFP56-PCIe4.0x16-no optical module	B9928252

OCP NIC-MCX631432AN-ADAB-Mellanox CX6-2x25G SFP28-PCIe4.0x8-no optical module	B9928253
OCP NIC-X710T2LOCPV3G1P-Intel X710-2x10G RJ45-PCIe3.0x8	B9928254
OCP NIC-ZTE NO127-WX1860A4-4x1G-RJ45-PCIe2.0x4	B9928255
OCP NIC-ZTE NO127D-WX1860A2-2x1G-RJ45-PCIe2.0x4	B9928256
PCIe InfiniBand-MCX653105A-ECAT-Mellanox-1x100G HDR IB-PCIe4.0x16-HHHL-No optical module	B9928257
PCIe NIC-EX710-Intel-4x10G SFP+ -PCIe3.0x8-FHHL-no optical module	B9927179
PCIe NIC-EXL710-Intel-1x40G QSFP+ -PCIe3.0x8-including optical module	B9928258
PCIe NIC-MCX623106AN-CDAT-Mellanox CX6-2x100G QSFP56-PCIe4.0x16-no optical module	B9927430
PCIe NIC-MCX631102AN-ADAT-Mellanox CX6-2x25G SFP28-PCIe4.0x8-no optical module	B9928259
PCIe NIC-Solarflare X2522-2x25G SFP28-PCIe3.0x8--no optical module	B9928260
PCIe RAID card-LSI9361-8i-SAS3108-2GB Cache-RAID0,1,10,5,6,50,60-12Gb/s-no cache protection module	B9928261
PCIe SAS HBA CARD-SAS9500-16i-SAS3816-no Cache-straight through-12Gb/s	B9928262
PCIe SAS HBA CARD-SAS9500-8i-SAS3808-no Cache-straight through-12Gb/s	B9927949
PCIe SAS RAID CARD-SAS9540-8i-SAS3808-no Cache-RAID0,1,10-12Gb/s-no cache protection module	B9928263

PCIE SAS RAID CARD-SAS9560-16i-SAS3916-8GB Cache-RAID0,1,10,5,6,50,60-12Gb/s-no cache protection module	B9928264
PCIE SAS RAID Card-ZTE RS241_V2-16i-PM8236-2G Cache-RAID0,1,10,5,6,50,60-12Gb/s	B9928265
PCle NIC-EX710-Intel-2x10G SFP+ -PCle3.0x8-no optical module	B9927998
PCle RAID card-LSI93XX_2G-cache protection module	B9928266
PCle RAID card-LSI94XX/95XX-cache protection module	B9928267
HDD-16TB-NL-SAS-3.5"-7.2K-12Gb/s-3.5-inch hard disk box	B9928164
HDD-16TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928165
HDD-16TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928166
HDD-18TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928167
HDD-18TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928168
HDD-2.4TB-SAS-2.5"-10K-12Gb/s-2.5-inch hard disk box	B9928001
HDD-2.4TB-SAS-2.5"-10K-12Gb/s-3.5-inch hard disk box	B9928169
HDD-20TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928170
HDD-20TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928171

HDD-20TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928172
HDD-2TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928173
HDD-4TB-NL-SAS-3.5"-7.2K-12Gb/s-3.5-inch hard disk box	B9928174
HDD-4TB-NL-SAS-3.5"-7.2K-12Gb/s-WD-3.5-inch hard disk box	B9928175
HDD-4TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928076
HDD-600GB-SAS-2.5"-10K-12Gb/s-2.5-inch hard disk box	B9927583
HDD-600GB-SAS-2.5"-10K-12Gb/s-3.5-inch hard disk box	B9928176
HDD-6TB-NL-SAS-3.5"-7.2K-12Gb/s-3.5-inch hard disk box	B9928177
HDD-6TB-NL-SAS-3.5"-7.2K-12Gb/s-WD-3.5-inch hard disk box	B9928178
HDD-6TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928179
HDD-8TB-NL-SAS-3.5"-7.2K-12Gb/s-3.5-inch hard disk box	B9928180
HDD-8TB-NL-SAS-3.5"-7.2K-12Gb/s-WD-3.5-inch hard disk box	B9928181
HDD-8TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928182
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-2.5-inch hard disk box	B9928183

SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-3.5-inch hard disk box	B9928184
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-WDC SN840-2.5-inch hard disk box	B9927785
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-WDC SN840-3.5-inch hard disk box	B9928185
SSD-1.92TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-2.5-inch hard disk box	B9928186
SSD-1.92TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-3.5-inch hard disk box	B9928187
SSD-1.92TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-2.5-inch hard disk box	B9927537
SSD-1.92TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-3.5-inch hard disk box	B9928188
SSD-1.92TB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-2.5-inch hard disk box	B9927999
SSD-1.92TB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-3.5-inch hard disk box	B9928189
SSD-1.92TB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-2.5-inch hard disk box	B9928190
SSD-1.92TB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-3.5-inch hard disk box	B9928191
SSD-1.92TB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-2.5-inch hard disk box	B9927784
SSD-1.92TB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-3.5-inch hard disk box	B9928192
SSD-15.36TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-2.5-inch hard disk box	B9928193

SSD-15.36TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-3.5-inch hard disk box	B9928194
SSD-15.36TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Micron 7450 PRO-2.5-inch hard disk box	B9928195
SSD-15.36TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Micron 7450 PRO-3.5-inch hard disk box	B9928196
SSD-240GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-2.5-inch hard disk box	B9928197
SSD-240GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-3.5-inch hard disk box	B9928198
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Intel P5620-2.5-inch hard disk box	B9928199
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Intel P5620-3.5-inch hard disk box	B9928200
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Memblaze P6536-2.5-inch hard disk box	B9928201
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Memblaze P6536-3.5-inch hard disk box	B9928202
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Micron 7450-2.5-inch hard disk box	B9927538
SSD-3.2TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Micron 7450-3.5-inch hard disk box	B9928203
SSD-3.2TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-2.5-inch hard disk box	B9928204
SSD-3.2TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-3.5-inch hard disk box	B9928205
SSD-3.84TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-2.5-inch hard disk box	B9928206

SSD-3.84TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Intel P5520-3.5-inch hard disk box	B9928207
SSD-3.84TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-2.5-inch hard disk box	B9928208
SSD-3.84TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-3.5-inch hard disk box	B9928209
SSD-3.84TB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-2.5-inch hard disk box	B9928210
SSD-3.84TB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-3.5-inch hard disk box	B9928211
SSD-3.84TB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-2.5-inch hard disk box	B9928212
SSD-3.84TB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-3.5-inch hard disk box	B9928213
SSD-480G-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-2.5-inch hard disk box	B9928214
SSD-480G-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-3.5-inch hard disk box	B9928215
SSD-480GB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-2.5-inch hard disk box	B9928216
SSD-480GB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-3.5-inch hard disk box	B9928217
SSD-480GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-2.5-inch hard disk box	B9927747
SSD-480GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-3.5-inch hard disk box	B9928218
SSD-480GB-SATA-M.2-2280-6Gb/s-Intensive read type-Intel S4520	B9928219

SSD-480GB-SATA-M.2-2280-6Gb/s-Intensive read type-Micron	B9928220
SSD-4TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Intel P4510-2.5-inch hard disk box	B9928221
SSD-4TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Intel P4510-3.5-inch hard disk box	B9928222
SSD-6.4TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Memblaze P6536-2.5-inch hard disk box	B9928223
SSD-6.4TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Memblaze P6536-3.5-inch hard disk box	B9928224
SSD-6.4TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Micron 7450-2.5-inch hard disk box	B9928225
SSD-6.4TB-NVMe PCIe-2.5"-16GT/s-Read-write hybrid-Micron 7450-3.5-inch hard disk box	B9928226
SSD-6.4TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-2.5-inch hard disk box	B9928227
SSD-6.4TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P4610-3.5-inch hard disk box	B9928228
SSD-6.4TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P5620-2.5-inch hard disk box	B9928229
SSD-6.4TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P5620-3.5-inch hard disk box	B9928230
SSD-7.68TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Memblaze P6530-2.5-inch hard disk box	B9928231
SSD-7.68TB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Memblaze P6530-3.5-inch hard disk box	B9928232
SSD-7.68TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Intel P5520-2.5-inch hard disk box	B9928233

SSD-7.68TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Intel P5520-3.5-inch hard disk box	B9928234
SSD-7.68TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Samsung PM9A3-2.5-inch hard disk box	B9928235
SSD-7.68TB-NVMe PCIe-2.5"-8GT/s-Intensive read type-Samsung PM9A3-3.5-inch hard disk box	B9928236
SSD-7.68TB-SATA-2.5"-6Gb/s-DWPD1.9-Samsung PM893-2.5" hard disk box	B9928237
SSD-7.68TB-SATA-2.5"-6Gb/s-DWPD1.9-Samsung PM893-3.5" hard disk box	B9928238
SSD-960GB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-2.5-inch hard disk box	B9927425
SSD-960GB-NVMe PCIe-2.5"-16GT/s-Intensive read type-Samsung PM9A3-3.5-inch hard disk box	B9928239
SSD-960GB-SAS-2.5"-12Gb/s-Intensive read type-Samsung PM1643a-2.5-inch hard disk box	B9927950
SSD-960GB-SAS-2.5"-12Gb/s-Intensive read type-Samsung PM1643a-3.5-inch hard disk box	B9928240
SSD-960GB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-2.5-inch hard disk box	B9928241
SSD-960GB-SATA-2.5"-6Gb/s-Read-write hybrid-Samsung PM897-3.5-inch hard disk box	B9928242
SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-2.5-inch hard disk box	B9928243
SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Intel S4520-3.5-inch hard disk box	B9928244
SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM883-2.5-inch hard disk box	B9927426

SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM883-3.5-inch hard disk box	B9928245
SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-2.5-inch hard disk box	B9927764
SSD-960GB-SATA-2.5"-6Gb/s-Intensive read type-Samsung PM893-3.5-inch hard disk box	B9928246
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P5620-2.5-inch hard disk box	B9928268
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-Intel P5620-3.5-inch hard disk box	B9928269
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-KIOXIA CD7-2.5-inch hard disk box	B9928270
SSD-1.6TB-NVMe PCIe-2.5"-8GT/s-Read-write hybrid-KIOXIA CD7-3.5-inch hard disk box	B9928271
SSD-1.92TB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-2.5-inch hard disk box	B9928272
SSD-1.92TB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-3.5-inch hard disk box	B9928273
SSD-3.2TB-NVMe PCIe-AIC-8GT/s-Read-write hybrid-Dera D5457	B9928274
SSD-3.84TB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-2.5-inch hard disk box	B9928275
SSD-3.84TB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-3.5-inch hard disk box	B9928276
SSD-480GB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-2.5-inch hard disk box	B9928277
HDD-20TB-NL-SAS-3.5"-7.2K-12Gb/s-3.5-inch hard disk box	B9928278

HDD-16TB-SATA-3.5"-7.2K-6Gb/s-3.5-inch hard disk box	B9928279
SSD-480GB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-3.5-inch hard disk box	B9928280
SSD-480GB-SATA-M.2-2280-6Gb/s-Intensive read type-Samsung PM883A	B9928281
SSD-7.68TB-NVMe PCIe-AIC-16GT/s-Intensive read type-Memblaze P6530	B9928282
SSD-960GB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-2.5-inch hard disk box	B9928000
SSD-960GB-SATA-2.5"-6Gb/s-Read-write hybrid-Intel S4620-3.5-inch hard disk box	B9928283
NCS6722 N4 Diger	
USB DVD Rewritable Drive(outside)	B9927948